

Technical data sheet Safety laser scanner Part no.: 53800111 RSL430-L



 Leuze electronic GmbH + Co. KG
 info@leuze.com • www.leuze.com
 changes

 The Sensor People
 In der Braike 1, D-73277 Owen/Germany
 Phone: +49 7021 573-0 • Fax: +49 7021 573-199
 eng • 2025-04-07

1/8

Technical data

Leuze

Basic data

Series	RSL 400
Application	Mobile danger zone guarding
	Mobile side guarding
	Stationary access guarding
	Stationary danger zone guarding
Functions	
Functions	Data output, configurable
	Dynamic contactor monitoring (EDM), selectable
	E-stop linkage
	E-stop linkage Four-field mode
	1 0
	Four-field mode

Characteristic parameters

Туре	3, IEC/EN 61496
SIL	2, IEC 61508
SILCL	2, IEC/EN 62061
Performance Level (PL)	d, EN ISO 13849-1
PFH _D	9E-08 per hour
Mission time T _M	20 years, EN ISO 13849-1
Category	3, EN ISO 13849

Protective field data

Resolution (adjustable)	30/40/50/60/70/150 mm
Minimum adjustable range	50 mm
Number of field pairs, switchable	10 + 10
Number of quads, switchable	10 + 10
Number of protective functions	2 Piece(s)
Number of independent sensor confi- gurations	2
Diffuse reflection, min.	1.8 %
Operating range	0 6.25 m

Warning field data

Number of field pairs	10 + 10
Operating range	0 20 m
Object size	150 mm x 150 mm
Diffuse reflection, min.	10 %

Optical data

Light source	Laser, Infrared	
Wavelength	905 nm	
Laser class	1, IEC/EN 60825-1:2014	
Transmitted-signal shape	Pulsed	
Repetition frequency	90 kHz	
Angular resolution	0.1 °	
Scanning angle	270 °	

Electrical data

Protectiv	e circuit

Performance data Supply voltage U_B 24 V, DC, -30 ... 20 % Current consumption (without load), 700 mA, (use power supply unit with 3 A) max.

Power consumption, max.

17 W, For 24 V, plus output load

Overvoltage protection

Outputs				
Number of safety-related switching	4 Piece(s)			
outputs (OSSDs)				
Safety-related switching out	outs			
Туре	Safety-related switching output OSSD			
Switching voltage high, min.	20.8 V			
Switching voltage low, max.	2 V			
Voltage type	DC			
Safety-related switching of Switching element	Itput 1 Transistor, PNP			
Safety-related switching output 2 Switching element Transistor, PNP				
Safety-related switching o	itout 3			
Switching element	Transistor, PNP			
Safety-related switching of Switching element	u tput 4 Transistor, PNP			
Time behavior				
	90 ma >			
Response time	80 ms, ≥			
Service interface				
Туре	Bluetooth, Ethernet, USB			
Ethernet				
Function	Configuration/parametization			
	TCP/IP			
Connection	M12 connector, 4-pin, D-coded			
Bluetooth				
Function	Configuration/parametization			
Frequency band	2,400 2,483.5 MHz			
Radiated transmitting power	Max. 4.5 dBm (2.82 mW), class 2			
USB				
Function	Configuration/parametization			
Connection	USB 2.0 mini-B, socket			
Transmission speed, max.	12 Mbit/s			
Cable length	≤ 5m Longer cable lengths are possible using active cables.			
Connection				
Cable properties				
Cable properties Cable resistance, max.	15 Ω			
Mechanical data				
Dimension (W x H x L)	140 mm x 149 mm x 140 mm			
Housing material	Metal			
	Plastic			
Metal housing	Diecast zinc			
Lens cover material	Plastic/PC			
Net weight	2,000 g			
Housing color	Yellow, RAL 1021			
Type of fastening	Mounting plate			
	Through-hole mounting			
	Via optional mounting device			

Technical data

Leuze

Operation and display

Type of displayAlphanumerical display LED indicatorNumber of LEDs6 Piece(s)Type of configurationSoftware Sensor StudioOperational controlsSoftware Sensor StudioBenvironmental data0 50 °CAmbient temperature, operation0 50 °CAmbient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %Degree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for continuous shock n accordance with standardIE C 60068-2-69US patentsUS 10,304,307B US 7,656,917 B US 7,696,468 B US 8,520,221 B			
Number of LEDs6 Piece(s)Type of configurationSoftware Sensor StudioOperational controlsSoftware Sensor StudioEnvironmental data	Type of display	Alphanumerical display	
Type of configurationSoftware Sensor StudioOperational controlsSoftware Sensor StudioEnvironmental dataAmbient temperature, operation0 50 °CAmbient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %CertificationsIII, EN 61140Pogree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd UScut UUSTÜV SüdTest procedure for EMC in accordanceDIN 40839-1/3with standardEN 61496-1Test procedure for oscillation in accordance with standardEIC 60068-2-6US patentsUS 10,304,307BUS patentsUS 10,304,307BUS 7,696,468 BUS 7,696,468 B		LED indicator	
Operational controlsSoftware Sensor StudioEnvironmental dataSoftware Sensor StudioAmbient temperature, operation0 50 °CAmbient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %CertificationsIP 65Degree of protectionIP 65Protection classIII, EN 61140ApprovalsCTÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for continuous shock in accordance with standardEC 60068-2-29US patentsUS 10,304,307B US 7,696,468 B	Number of LEDs	6 Piece(s)	
Environmental dataAmbient temperature, operation050 °CAmbient temperature, storage-2060 °CRelative humidity (non-condensing)1595 %CertificationsISDegree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd USc U USTÜV SüdTest procedure for EMC in accordanceDIN 40839-1/3with standardEN 61496-1Test procedure for continuous shockEC 60068-2-29I S patentsUS 10,304,307BUS patentsUS 7,696,468 B	Type of configuration	Software Sensor Studio	
Ambient temperature, operation0 50 °CAmbient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %CertificationsIP 65Degree of protectionIP 65Protection classIII, EN 61140ApprovalsC TÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for continuous shock in accordance with standardEC 60068-2-6US patentsUS 10,304,307B US 7,696,468 B	Operational controls	Software Sensor Studio	
Ambient temperature, operation0 50 °CAmbient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %CertificationsIP 65Degree of protectionIP 65Protection classIII, EN 61140ApprovalsC TÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for continuous shock in accordance with standardEC 60068-2-6US patentsUS 10,304,307B US 7,696,468 B			
Ambient temperature, storage-20 60 °CRelative humidity (non-condensing)15 95 %CertificationsIP 65Protection classIII, EN 61140Approvalsc TÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for continuous shock in accordance with standardEN 60068-2-6 US 10,304,307BUS patentsUS 10,304,307B US 7,696,468 B	Environmental data		
Relative humidity (non-condensing)15 95 %CertificationsIP 65Degree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd US c UL US TÜV SüdTest procedure for EMC in accordance with standardDIN 40839-1/3 EN 61496-1Test procedure for oscillation in accordance with standardEN 60068-2-6Test procedure for continuous shock in accordance with standardUS 10,304,307B US 7,656,917 B US 7,696,468 B	Ambient temperature, operation	0 50 °C	
CertificationsDegree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd USc UL USTEst procedure for EMC in accordanceDIN 40839-1/3with standardEN 61496-1Test procedure for oscillation in accordance with standardEN 60068-2-6Test procedure for continuous shock in accordance with standardUS 10,304,307BUS patentsUS 10,304,307BUS 7,656,917 BUS 7,696,468 B	Ambient temperature, storage	-20 60 °C	
Degree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd USc UL USTest procedure for EMC in accordanceDIN 40839-1/3with standardEN 61496-1Test procedure for oscillation in accordance with standardEIC 60068-2-6Test procedure for continuous shock in accordance with standardUS 10,304,307BUS patentsUS 10,304,407BUS 7,696,468 BUS 7,696,468 B	Relative humidity (non-condensing)	15 95 %	
Degree of protectionIP 65Protection classIII, EN 61140Approvalsc TÜV Süd USc UL USTest procedure for EMC in accordanceDIN 40839-1/3with standardEN 61496-1Test procedure for oscillation in accordance with standardEIC 60068-2-6Test procedure for continuous shock in accordance with standardUS 10,304,307BUS patentsUS 10,304,407BUS 7,696,468 BUS 7,696,468 B			
Protection class III, EN 61140 Approvals c TÜV Süd US c UL US TÜV Süd Test procedure for EMC in accordance with standard DIN 40839-1/3 Test procedure for oscillation in accordance with standard EN 60068-2-6 Test procedure for continuous shock in accordance with standard EV 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B	Certifications		
Approvals c TÜV Süd US c UL US TÜV Süd Test procedure for EMC in accordance with standard DIN 40839-1/3 EN 61496-1 Test procedure for oscillation in accordance with standard EN 60068-2-6 Test procedure for continuous shock in accordance with standard IEC 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B	Degree of protection	IP 65	
c UL US TÜV Süd Test procedure for EMC in accordance with standard DIN 40839-1/3 EN 61496-1 EN 60068-2-6 Test procedure for continuous shock in accordance with standard EIC 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B	Protection class	III, EN 61140	
TÜV Süd Test procedure for EMC in accordance with standard DIN 40839-1/3 EN 61496-1 EN 60068-2-6 Test procedure for continuous shock in accordance with standard EN 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B	Approvals	c TÜV Süd US	
Test procedure for EMC in accordance DIN 40839-1/3 with standard EN 61496-1 Test procedure for oscillation in accordance with standard EN 60068-2-6 Test procedure for continuous shock in accordance with standard IEC 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B		c UL US	
with standardEN 61496-1Test procedure for oscillation in accordance with standardEN 60068-2-6Test procedure for continuous shock in accordance with standardIEC 60068-2-29US patentsUS 10,304,307BUS 7,656,917 BUS 7,696,468 B		TÜV Süd	
Test procedure for oscillation in accordance with standard EN 60068-2-6 Test procedure for continuous shock in accordance with standard IEC 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B		DIN 40839-1/3	
accordance with standard Test procedure for continuous shock IEC 60068-2-29 US patents US 10,304,307B US 7,656,917 B US 7,696,468 B	with standard	EN 61496-1	
in accordance with standard US 10,304,307B US patents US 7,656,917 B US 7,696,468 B US 7,696,468 B		EN 60068-2-6	
US 7,656,917 B US 7,696,468 B	•	IEC 60068-2-29	
US 7,696,468 B	US patents	US 10,304,307B	
		US 7,656,917 B	
US 8,520,221 B		US 7,696,468 B	
		US 8,520,221 B	

Classification


Customs tariff number	85365019
ECLASS 5.1.4	27279290
ECLASS 8.0	27279290
ECLASS 9.0	27272705
ECLASS 10.0	27272791
ECLASS 11.0	27272791
ECLASS 12.0	27272791
ECLASS 13.0	27272791
ECLASS 14.0	27272791
ECLASS 15.0	27272791
ETIM 5.0	EC002550
ETIM 6.0	EC002550
ETIM 7.0	EC002550
ETIM 8.0	EC003015
ETIM 9.0	EC003015
ETIM 10.0	EC003015


Dimensioned drawings


Leuze


All dimensions in millimeters

Dimensions safety laser scanner with connection unit










1 Scan level


Dimensioned drawings

Leuze

Mounting dimensions safety laser scanner with connection unit




Minimum space requirements for installation and replacement of scanner unit



Dimensioned drawings

Leuze

Dimensions of scanning range



1 Reference point for distance measurement and protective field radius

Operation and display

LED	Display	Meaning
1	Off	Device switched off
	Red, continuous light	OSSD off
	Red, flashing	Error
	Green, continuous light	OSSD on
2	Off	RES deactivated or RES activated and released
	Yellow, flashing	Protective field occupied
	Yellow, continuous light	RES activated and blocked but ready to be unlocked - protective field free and linked sensor is enabled if applicable
3	Off	Free warning field
	Blue, continuous light	Warning field interrupted
4	Off	Free warning field
	Blue, continuous light	Warning field interrupted
5	Off	RES deactivated or RES activated and released
	Yellow, flashing	Protective field occupied
	Yellow, continuous light	RES activated and blocked but ready to be unlocked - protective field free and linked sensor is enabled if applicable
6	Off	Device switched off
	Red, continuous light	OSSD off
	Red, flashing	Error
	Green, continuous light	OSSD on

Notes



Observe intended use!

The product may only be put into operation by competent persons.
 Only use the product in accordance with its intended use.

 Leuze electronic GmbH + Co. KG
 info@leuze.com • www.leuze.com
 We reserve the right to make technical changes

 The Sensor People
 In der Braike 1, D-73277 Owen/Germany
 Phone: +49 7021 573-0 • Fax: +49 7021 573-199
 eng • 2025-04-07

Notes

ATTENTION! INVISIBLE LASER RADIATION – CLASS 1 LASER PRODUCT
 The device satisfies the requirements of IEC/EN 60825-1:2014 safety regulations for a product of laser class 1 and complies with 21 CFR 1040.10 except for conformance with IEC 60825-1 Ed. 3., as described in Laser Notice No. 56, dated May 8, 2019. Observe the applicable statutory and local laser protection regulations. The device must not be tampered with and must not be changed in any way. There are no user-serviceable parts inside the device. Repairs must only be performed by Leuze electronic GmbH + Co. KG.

Accessories

Connection technology - Connection boxes

 Part no.	Designation	Article	Description
53800122	CU429-10000	Connection unit	Number of connections: 2 Piece(s) Connection 1: Cable, 10,000 mm, PUR, 29 -wire Connection 2: Connector, M12, D-coded, 5 -pin Dimensions: 140.2 mm x 72.8 mm x 140.3 mm Color: Black Type of fastening: Bayonet system

Mounting technology - Mounting brackets

	Part no.	Designation	Article	Description
	53800134	BT840M	Mounting bracket	Application: Mounting on chamfered 90° corner Dimensions: 84.9 mm x 72 mm x 205.2 mm Color: Yellow, RAL 1021 Type of fastening, at system: Through-hole mounting Type of fastening, at device: Screw type Material: Metal
	53800132	BTF815M	Mounting bracket	Application: Mounting bracket for floor mounting Dimensions: 186 mm x 120 mm x 288 mm Scan level height: 150 mm Color: Yellow, RAL 1021 Type of fastening, at system: Through-hole mounting Type of fastening, at device: Screw type Material: Metal
A	53800133	BTF830M	Mounting bracket	Application: Mounting bracket for floor mounting Dimensions: 186 mm x 275 mm x 288 mm Scan level height: 300 mm Color: Yellow, RAL 1021 Type of fastening, at system: Through-hole mounting Type of fastening, at device: Screw type Material: Metal

Mounting technology - Other

	Part no.	Designation	Article	Description
Salita So	53800130	BTU800M	Mounting system	Dimensions: 54.5 mm x 90 mm x 192 mm Color: Black Type of fastening, at system: Through-hole mounting Type of fastening, at device: Screw type Material: Metal

Leuze

Accessories

Leuze

General

 Part no.	Designation	Article	Description
430400	RS4-clean-Set1	Cleaning set	Number of cleaning cloths: 40 Piece(s) Content of cleaning fluid: 150 ml

Services

	Part no.	Designation	Article	Description
()	S981051	CS40-I-141	Safety inspection	Details: Checking of a safety laser scanner application in accordance with current standards and guidelines. Inclusion of the device and machine data in a database, production of a test log per application. Conditions: It must be possible to stop the machine, support provided by customer's employees and access to the machine for Leuze employees must be ensured.
J.	S981047	CS40-S-141	Start-up support	Details: For safety devices including stopping time measurement and initial inspection. Conditions: Devices and connection cables are already mounted, price not including travel costs and, if applicable, accommodation expenses.



✤ A list with all available accessories can be found on the Leuze website in the Download tab of the article detailed page.